

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6643701".pn. and decry\$6	USPAT	OR	OFF	2004/11/14 17:55
L2	1	"6643701".pn. and server with relay	USPAT	OR	OFF	2004/11/14 18:41
L3	0	server with transmit\$5 with (unencrypt\$5 or clear) with (first and second) adj (client or program or application or node or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 18:44
L4	0	server with transmit\$5 same (unencrypt\$5 or clear) same (first and second) adj (client or program or application or node or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 18:44
L5	1	server with (transmit\$5 or sent or send or deliver\$4) same (unencrypt\$5 or clear) same (first and second) adj (client or program or application or node or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 18:45
L6	135	server same (transmit\$5 or sent or send or deliver\$4) same (unencrypt\$5 or clear) and (first and second) adj (client or program or application or node or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 18:46
L7	51	l6 and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 19:55
L8	171	(server or proxy or agent or intermediat\$3) with (select or choose or chos\$3 or pick\$3 or determin\$5 or decid\$4 or transmit\$5 or send or sent) with (encrypt\$5 near3 algorithm\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 19:57
L9	164	l8 and (client or node or device or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 19:58

L10	44	I9 and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 19:59
L11	0	I10 and server with encryption with support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 19:59
L12	10	I10 and (send or transmit\$5 or sent) with (clear or unencrypt\$5 or unencipher\$5 or unencod\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:11
L13	5818	713/200-202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:12
L14	257	713/165.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:19
L15	172	713/167.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:20
L16	608	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:20
L17	135	I3 or I4 or I5 or I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:21

L18	6559	I13 or I14 or I15 or I16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:21
L19	2726	I18 and server and client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:21
L20	451	I19 and select\$3 with (encrypt\$5 or enciph\$5 or encod\$5 or algorithm\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:22
L21	1	I20 and determin\$4 near10 (encrypt\$5 or enciph\$5 or encod\$5) near10 support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:24
L22	174	I20 and determin\$4 near10 (encrypt\$5 or enciph\$5 or encod\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:24
L23	55	I22 and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:53
L24	449	(server or proxy or intermedia\$5 or agent) near10 (transmi\$5 or sent or send) near10 (clear or unencrypt\$5 or unenciph\$5 or unencod\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:54
L25	16	I20 and I24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:55

L26	4	I25 and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/14 20:55
S1	5	("5455861" "5787154" "5784566" "6252869" "6266418").pn.	USPAT	OR	OFF	2004/11/14 17:39
S2	1	"6671810".pn.	USPAT	OR	OFF	2004/11/14 16:08